

SITE READINESS GUIDE

Designed For (Brand Name Here)

Welcome to GRUBBRR!

We're excited to help you bring your new selfordering solution to your store. Before we can set up your hardware, though, we need to confirm that your location meets the network, power, and space requirements for your new devices.

That's why we've created this document. On the following pages, we'll outline the specifications of your new GRUBBRR devices, along with their site requirements. Before we schedule an installation, you'll work with your GRUBBRR Project manager to perform a virtual Site Survey and confirm that your store has been set up for installation day.

Please note: Because GRUBBRR requires confirmation of site readiness before we schedule an installation, you are responsible for ensuring that our certified service technician can complete the installation as planned. If your location is not ready for our technicians when they arrive, you will be required to A) pay for the scheduled installation and B) schedule a new installation at full price. Please make sure that all requirements have been met when filling out your site survey with your Project Manager.

SPECIFIC HARDWARE REQUIREMENTS

Hardware Specs

Width 14" (36 cm)

Depth 14" (36 cm)



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Kiosk

	Ng.	

Hardware Specs

Height 65" (165 cm)

Width 18" (46 cm)

Depth 14" (36 cm)


Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
3′ (91 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 2' (61 cm) of the Kiosk

Hardware Specs			
30″ (76 cm)			
14" (36 cm)			
14" (36 cm)			



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 5' (152 cm) of the Kiosk

GRUBBRR[®]

SAMSUNG WINDOWS KIOSK Countertop

Hardware Specs				
Height	30″ (76 cm)			
Width	14" (36 cm)			

Depth 14" (36 cm)



GRUBBRR®

Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Kiosk

Harc	lware	Specs

Height 65" (165 cm)

Width 18" (46 cm)

Depth 14" (36 cm)



Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
3' (91 cm)	10 Mbps	N/A	5 Mbps	N/A


Power Requirements

There must be an active power outlet within 6' (61 cm) of the Kiosk



GRUBBRR

Hardware Specs			
Height	30" (76 cm)		
Width	14" (36 cm)		
Depth	14" (36 cm)		



Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (91 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 5' (152 cm) of the Kiosk

GRUBBRR[®]

Hardware Specs

Height	28" (71 cm)
Width	16" (41 cm)
Depth	13" (33 cm)



Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Kiosk

Hardware SpecsHeight60" (152 cm)Width20" (51 cm)Depth16" (41 cm)

Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
3′ (91 cm)	10 Mbps	N/A	5 Mbps	N/A


Power Requirements

There must be an active power outlet within 2' (61 cm) of the Kiosk

GRUBBRR

Hardware Specs

Height	28" (71 cm)
Width	16" (41 cm)
Depth	13" (33 cm)



Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (152 cm) of the Kiosk

Hardware Specs

Height	25″-35″ (64-89 cm)
Width	16" (40 cm)
Depth	14″-23″ (36-58 cm)
Rotation	270°



Network Requirements

Requires an additional ethernet port if using a Verifone Payment Device

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Kiosk

Hardwar	e Specs
Height	28″ (71 cm)
Width	16" (41 cm)

Depth 13" (33 cm)



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Kiosk; some solutions will require three



GRUBBRR®

Hardware Specs

Height 73" (185 cm)

Width 24" (61 cm)

Depth 22" (56 cm)



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
3′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 2' (61 cm) of the Kiosk

ANDROID KDS

GF	l	BB	RR	

Hardwar	e Specs	
Height	28″ (71 cm)	
Width	16" (41 cm)	
Depth	13" (33 cm)	



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 6' (183 cm) of the Display

GRUBBRR[®]

Hardware Specs

Height 12" (30 cm)

Width 20" (51 cm)

Depth 2" (5 cm)



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7' (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 2' (152 cm) of the Display

Hardware Specs

Height 12" (30 cm)

Width 20" (51 cm)

Depth 2"(5 cm)



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

There must be an active power outlet within 5' (152 cm) of the Display

KOT PRINTER

GRUBBRR°

Hardware Specs		
Height	6″ (15 cm)	
Width	6" (15 cm)	
Depth	8" (20 cm)	



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
7′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A


Power Requirements

There must be an active power outlet within 2' (183 cm) of the Printer

Depth

Hardware	Specs
Height	70″
Width	21″

13"



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
See below	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

An electrician will run a 5', 110-volt line to the device, coming up from the floor, along with an ethernet line, to connect the Kiosk to the location's power and network



Outdoor Kiosk Wall Mounted

Hardware Specs	Η	lard	dwa	are	S	pe	CS
----------------	---	------	-----	-----	---	----	----

Height	40″
Width	21″
Depth	8″



Network Requirements

Port within	Minimum Download Speed	Maximum Download Speed	Minimum Upload Speed	Maximum Upload Speed
5′ (213 cm)	10 Mbps	N/A	5 Mbps	N/A

Power Requirements

An electrician will run a 5', 110-volt line to the device, coming up from the floor, along with an ethernet line, to connect the Kiosk to the location's power and network

